

Mass-specific activities (umol/min/g tissue) of aminopeptidase-N from intestinal tissues.

| Mallard | Quail | Chicken (published) | Chicken (new) | Sage-Grouse |
|----------------|--------------|----------------------------|----------------------|--------------------|
| 6,58 | 9,25 | 9,60 | 9,61 | 0,70 |
| 5,35 | 6,41 | 7,39 | 12,46 | 1,11 |
| 5,21 | 9,61 | 16,56 | 14,96 | 1,14 |
| 4,47 | 6,62 | 6,43 | 11,75 | 1,16 |
| 4,68 | 5,53 | 10,62 | 13,89 | |
| 5,34 | 12,49 | 13,08 | 6,05 | |
| 3,29 | 8,84 | 7,33 | | |
| 5,29 | 6,16 | 17,52 | | |
| 2,76 | 9,71 | 12,68 | | |
| 3,58 | 11,33 | 4,12 | | |
| 3,06 | 11,03 | 6,10 | | |
| 2,82 | 10,28 | 8,77 | | |
| 2,71 | 10,61 | | | |
| 2,97 | 13,19 | | | |

| Black Grouse | Capercaillie | Rock Ptarmigan | Willow Ptarmigan |
|---------------------|---------------------|-----------------------|-------------------------|
| 4,99 | 3,20 | 8,19 | 1,07 |
| 4,63 | | 6,77 | 2,14 |
| 2,14 | | 4,99 | 2,49 |
| 2,49 | | 2,14 | 2,14 |
| 3,20 | | 1,78 | |

Canada Goose

2,65
3,12
1,70
3,16
1,12
1,58
0,81
4,35
2,97
0,84
1,42
2,48
2,19
1,71
2,09
1,89
3,29
1,12
2,94
1,30
3,27
2,86